Document Preparation Profile (DPP) Version 2.0 dated June 01, 2017

1. IDENTIFICATION

| Document Category: | Safety Guide |
|------------------------------|---|
| Working ID: | DS507 |
| Proposed Title: | Seismic Hazards in Site Evaluation for Nuclear Installations |
| Proposed Action: | Revision of a document "Seismic Hazards in Site Evaluation for Nuclear Installations" Specific Safety Guide SSG-9 (2010) |
| Review Committee(s) : | NUSSC, WASSC |
| Technical Officer(s): | Yoshimitsu FUKUSHIMA |

2. BACKGROUND

Since its publication in 2010, the Specific Safety Guide SSG-9 "Seismic Hazards in Site Evaluation for Nuclear Installations" has been used extensively in IAEA safety review services. SSG-9 included several major amendments, inter alia, it expanded the scope of the preceding safety guide (NS-G-3.3) from nuclear power plants to nuclear installations, introduced a graded approach in order to treat the seismic hazard assessment for nuclear installations other than nuclear power plants, incorporated concepts of simulating ground motion based on fault rupture modelling and strengthened the guidance on the use of prehistorical evidences (Palaeoseismology) and on the treatment of uncertainties.

SSG-9 (2010) emphasized recognition and reduction of uncertainties (e.g., paragraphs 2.6 ~ 2.10) based on the lessons learned from the 2007 Niigata-ken Chuetsu Oki earthquake, where the observed ground motion largely exceeded the design basis ground motion of Kashiwazaki Kariwa NPP in Niigata Prefecture, Japan. Nevertheless, the 2011 off the Pacific coast of Tohoku earthquake and tsunami occurred in Japan Trench on March 11 highlighted again issues of uncertainties in the assessment of seismic hazards in site evaluation. The 3rd International Experts Meeting on external events (2012) and the Director-General's report on Fukushima Daiichi Accident (2015) identified several issues on seismic hazard assessment, including 1) natural hazard assessment has to be sufficiently conservative, 2) periodical review of nuclear safety including design basis external events, 3) combination of natural hazards and simultaneous effects of natural hazards on multiple units in a site and a single unit site, and 4) the use of operating experiences for safety improvements. In order to address those issues, NS-R-3 was revised into NS-R-3 Rev.1 in 2016.

Assessment of seismic hazard is a multi-disciplinary field that involves knowledge and techniques of geology, geophysics, geotechnical engineering and seismology which are fast evolving disciplines in terms that new data are obtained using state-of-the-art technologies. For example, Light Detection and Ranging technology has become common over the past decade in order to obtain a digital elevation model of ground surface (geodetic and geomorphological data) in the site vicinity of nuclear installations. Geodetic and geomorphological data enables more precise analysis and insights to identify capable seismogenic structures. Another example is increase of seismological information. By the accumulation of digitally recorded ground motions in many parts of the world, seismologists are now able to evaluate seismogenic structure and relevant ground motions efficiently (e.g., new ground motion prediction equations and simulated ground motions using fault rupture modelling). The technical advancement and innovations in this field can be utilized in order to reduce uncertainties in

seismic hazard assessments and they also have to be incorporated in the safety guide in order to disseminate to Member States.

There has also been significant progress in the approaches used for fault displacement hazard analysis since the publication of SSG-9 (2010). Fault displacement, which is one of the seismically induced hazards, collects attention of scientists and researchers internationally.

3. JUSTIFICATION FOR THE PRODUCTION OF THE DOCUMENT

As indicated above, the knowledge and technology of seismic hazard assessment have evolved rapidly. Although no flaws have been observed in the application of SSG-9 (2010), it is considered that in order to keep up with the pace of the scientific and technological progress, reducing uncertainty and lessons learned from past events (e.g. Fukushima Daiichi accident) a revision of this Safety Guide will be timely.

In addition to the reasons provided above, other considerations that would justify its revision would be based on:

- To reinforce recommendations pursuant to meet the objectives of the Vienna Declaration on Nuclear Safety;
- To make the guide consistent with Safety Requirements for Site Evaluation of Nuclear Installations (NS-R-3 Full-revision in progress, as DS484)
- To take into account relevant aspects of the Director General's Report on the Fukushima Daiichi Accident, IAEA, 2015

4. OBJECTIVE

The objective to revise Safety Guide SSG-9 (2010) is to reflect the feedback received by the Member States following its application. It is intended to review and if necessary revise the following topics with high priority:

- Including newly developed methods of data collection for more precise evaluation of seismogenic structure (such as Tectonic Geomorphological, geophysical and palaeoseismological methods, instrumental seismological records). Providing more detailed guidance on the database requirements for new and existing nuclear installations.
- Addressing issues related to multi-unit sites.
- Including and providing more details on recently developing subjects in the Safety Guide, such as ground motion simulation based on fault rupture modelling, kappa correction, cumulative absolute velocity filtering, sigma truncation, testing seismic hazard assessment, etc.
- Providing clearer and detailed guidance on capable faults and fault displacement hazard analysis for new and existing nuclear installations
- Providing a more consistent approach for treating all geotechnical hazards generated by earthquakes which are treated or discussed in different safety guides (e.g. the earthquake relevant hazards are treated insufficiently in NS-G-3.6)

- Providing clearer and detailed guidance on combination of seismic hazards (including both surface faulting and ground motion) and relevant geological, hydrological and geotechnical hazards.
- Providing clearer and detailed guidance on hazard/design interface with site response.
- Provide more guidance on the determination of parameters suitable to describe the damaging effects of earthquakes.
- Provide guidance on comparison of DSHA and PSHA results for existing sites
- Provide guidance on monitoring of seismic hazards for periodic assessments

5. SCOPE

It is not intended to significantly change the scope of the Safety Guide, that is primary seismic hazard evaluation for any nuclear installations.

6. PLACE IN THE OVERALL STRUCTURE OF THE RELEVANT SERIES AND INTERFACES WITH EXISTING AND/OR PLANNED PUBLICATIONS

This Safety Guide falls within the thematic area of Site Evaluation and will interface with the following IAEA Safety Standards and other publications (this is not, and cannot be, regarded as an exclusive or exhaustive list):

- Site Evaluation for Nuclear Installations Safety Requirements, NS-R-3 Rev. 1 (2016)
- Site Evaluation for Nuclear Installations Specific Safety Requirements (DS484)
- Geotechnical Aspects of Site Evaluation and Foundations for Nuclear Plants, Safety Guide, NS-G-3.6 (2005).
- Evaluation of Seismic Safety for Existing Nuclear Installations Safety Guide NS-G-2.13 (2009)
- Meteorological and Hydrological Hazards in Site Evaluation for Nuclear Installations, Safety Guide SSG-18 (2011)
- Volcanic Hazards in Site Evaluation for Nuclear Installations, Safety Guide, SSG-21 (2012)
- Seismic Design and Qualification for Nuclear Power Plants, Safety Guide, NS-G-1.6 (2003) (DS490)
- Predisposal Management of Radioactive Waste from Nuclear Fuel Cycle Facilities, Specific Safety Guide SSG-41 (2016)
- Leadership and Management for Safety, General Safety Requirements, GSR Part 2 (2016)
- Safety Assessment for Facilities and Activities, General Safety Requirements, GSR Part 4 (Rev. 1) (2016)
- Safety of Nuclear Power Plants: Design, Specific Safety Requirements, SSR-2/1 (2012)

7. OVERVIEW

It is planned to keep the structure and the Table of Contents of the revised Safety Guide similar to the present SSG-9 (2010):

- 1. INTRODUCTION
- 2. GENERAL RECOMMENDATIONS
- 3. NECESSARY INFORMATION AND INVESTIGATIONS (DATABASE)
- 4. CONSTRUCTION OF A REGIONAL SEISMOTECTONIC MODEL
- 5. CHARACTERIZATION OF SEISMIC GROUND MOTIONS
- 6. SEISMIC HAZARD ANALYSIS
- 6.1 PROBABILISTIC SEISMIC HAZARD ANALYSIS
- 6.2 DETERMINISTIC SEISMIC HAZARD ANALYSIS
- 7. POTENTIAL FOR SEISMICALLY INDUCED FAULT DISPLACEMENT AT THE SITE AND GEOLOGICAL HAZARDS
- 8. DESIGN BASIS GROUND MOTION, FAULT DISPLACEMENT AND OTHER HAZARDS
- 9. EVALUATION OF SEISMIC HAZARDS FOR NUCLEAR INSTALLATIONS OTHER THAN NUCLEAR POWER PLANTS

10. PROJECT MANAGEMENT SYSTEM REFERENCES ANNEXES

DEFINITIONS

8. **PRODUCTION SCHEDULE:** Provisional schedule for preparation of the document, outlining realistic expected dates for each step:

| STEP 1: Preparing a DPP | DONE |
|--|---------------|
| STEP 2: Approval of DPP by the Coordination Committee | Q1 2017 |
| STEP 3: Approval of DPP by the relevant review Committees | Q1 2017 |
| STEP 4: Approval of DPP by the CSS | Q2 2017 |
| STEP 5: Preparing the draft (TM to be organized) | Q2-Q3 2017 |
| STEP 6: Approval of draft by the Coordination Committee | Q4 2017 |
| STEP 7: Approval by the relevant review Committees for submission to Member States for comments Consultation with all SSC on possible restructuring of the safety guides and preparing of one guide | Q1 2018 |
| STEP 8: Soliciting comments by Member States | Q2 2018 |
| STEP 9: Addressing comments by Member States | Q4 2018 |
| STEP 10: Approval of the revised draft by the Coordination Committee Review in NS-SSCS | Q1 2019 |
| STEP 11: Approval by the relevant review Committees | Q2 1019 |

| STEP 12: Endorsement by the CSS | Q4 2019 |
|--|---------|
| | |
| STEP 13: Establishment by the Publications Committee | Q1 2020 |
| | - |
| STEP 14: Target publication date | Q4 2020 |
| | - |

9. **RESOURCES**

Staff: 20 staff weeks Consultants: 10 consultant weeks